

Contents

Chapter 1:	Introduction and History.....	1
	By Max Sherman	
Chapter 2:	Regulatory Requirements for Design & Process Validation	5
	By Robert V. Packard & Leo Lagrotte	
Chapter 3:	Risk-Based Verification and Validation.....	13
	By John E. Lincoln	
Chapter 4:	The Need for Test Method Validation	27
	By Dylan Stover	
Chapter 5:	Test Method Validation for Medical Devices and Packaging	29
	By Brian K. Farison	
Chapter 6:	Design of Experiments.....	43
	By Anthony Carra	
Chapter 7:	Sterilization Validation Principles.....	61
	By Gerry O'Dell	
Chapter 8:	Six Sigma Concepts in Validation Studies for Medical Device Packaging	75
	By Brian K. Farison and Rod Patch	
Chapter 9:	Medical Packaging Validation	93
	By David DiVaccaro	
Chapter 10:	Cleaning Validations of Medical Products.....	99
	By Steven G. Richter, PhD	
Chapter 11:	Software Validation for Life Sciences.....	107
	By Wes Bloemker	
Chapter 12:	FDA Unique Device Identification Verification and Validation.....	131
	By Jonathan C. Bretz, OT/L, MBA, RAC	
Chapter 13:	Equipment Validation.....	145
	By John E. Lincoln	

Chapter 14:	Sample Sizes for Verification and Validation.....	157
	By Steven Walfish	
Chapter 15:	Verification and Validation in Medical Device Computational Modeling and Simulation.....	167
	By Danny L. Levine, PhD, PE	
Chapter 16:	Additive (3D Printing) Manufacturing	179
	By John E. Lincoln	
Chapter 17:	Cybersecurity and Data Integrity	191
	By John E. Lincoln	
Chapter 18:	Validating the Medical Device Laser Welding Process	203
	By David W. Steinmeier and Lisa Schaller	
Chapter 19:	Start-up of Cleanrooms, Initially and After a Worst-Case Event.....	211
	By Jim Polarine and Beth Kroeger	
Appendix A:	Quality Management Systems - Process Validation Guidance	217
Appendix B:	Design Control Guidance for Medical Device Manufacturers.....	253
Appendix C:	Reporting of Computational Modeling Studies in Medical Device Submissions	307
Appendix D:	Technical Considerations for Additive Manufactured Devices.....	355
Appendix E:	Data Integrity and Compliance With CGMP	383
Index	397

Figures

Figure 3-1.	FDA Lifecycle.....	15
Figure 3-2.	Internet FTA Sample Format.....	17
Figure 3-3.	Possible Initial Descriptive Narrative.....	18
Figure 3-4.	Possible Hazard List Format (entries not complete)	19
Figure 3-5.	Sample FTA.....	20
Figure 3-6.	Sample Abbreviated Software FMEA	21
Figure 3-7.	Fictitious Final Benefit-Risk Analysis/Statement	21
Figure 3-8.	Incorporating Risk in the V&V Protocol	22
Figure 5-1.	Definition of a Test Method (ASTM E1488-12).....	30
Figure 5-2.	Process View of Test Methods, Peel Test Example	30
Figure 5-3.	Data Types vs. Resolution	31
Figure 5-4.	ISO 11607 Part 1, Section 4-4.4 Test Methods.....	32
Figure 5-5.	TMV Waterfall Model (vs. FDA Design Control Guidance Waterfall)	34
Figure 5-6.	Measurement Error, a Comparison of Two “Voices”.....	35
Figure 5-7.	Measurement Error and Decision Making	35
Figure 5-8.	Precision and “Accuracy”	36
Figure 5-9.	Bias and “Accuracy”—Focus on “Accuracy”	37
Figure 5-10.	Bias and “Accuracy”—Focus on Bias.....	38
Figure 5-11.	Precision and Bias.....	38
Figure 5-12.	GRR Tree Diagram, Multi-Vari Chart Plus Minitab Statistical Output.....	39
Figure 5-13.	Standard Deviations Explained as Trigonometric Functions.....	40

Figure 6-1.	DOE in Process Validation Flow.....	44
Figure 6-2.	Progression of DOE Activities	44
Figure 6-3.	Relation of Process Inputs and Outputs.....	45
Figure 6-4.	Minitab ANOVA Analysis Output	47
Figure 6-5.	Minitab Example of Design Options	48
Figure 6-6.	Plackett-Burman Design	48
Figure 6-7.	Minitab Plackett-Burman Design Analysis.....	51
Figure 6-8.	Two-Level Factorial Design Diagram	51
Figure 6-9.	Three-Level Factorial Design Diagram	52
Figure 6-10.	Minitab Regression Analysis Output.....	52
Figure 6-11.	EVOP Diagram	52
Figure 6-12.	Method of Steepest Ascent/Descent.....	52
Figure 6-13.	Central Composite Design Diagram.....	52
Figure 6-14.	Minitab CCD Analysis Output	52
Figure 6-15.	Three-Factor Box-Behnken Design Diagram.....	53
Figure 6-16.	Minitab Box-Behnken Analysis Output.....	53
Figure 6-17.	Box-Behnken Reduced Model	54
Figure 6-18.	Main Effects Plot	54
Figure 6-19.	Interaction Effects Plot	55
Figure 6-20.	Screening Minitab Output.....	56
Figure 6-21.	Screening Response Optimizer.....	56
Figure 6-22.	Optimization #1 Main and Interaction Plots	57
Figure 6-23.	Optimization #1 Minitab Output.....	57
Figure 6-24.	Optimization #1 Response Optimizer.....	58
Figure 6-25.	Optimization #2 Main and Interaction Plots	58
Figure 6-26.	Optimization #2 Contour Plot	58
Figure 6-27.	Optimization #2 Response Optimizer.....	58
Figure 6-28.	Capability Analysis Results	59
Figure 7-1.	Sterilization Validation.....	62
Figure 8-1.	Six Sigma Process*	76
Figure 8-2.	GRR Study Structure.....	81
Figure 8-3.	GRR Study Showing Poor Repeatability and Reproducibility	81
Figure 8-4.	GRR Study Showing Excellent Repeatability and Reproducibility	82
Figure 8-5.	Baseline Process	83
Figure 8-6.	Cause-and-Effect Diagram Showing the “6Ms” of Quality: Man, Machine, Measurement, Method, Material and “Mother Nature”	83
Figure 8-7.	Detailed Process Map Example: Sealing Portion of Process	84
Figure 8-8.	Three Types of Cause-and-Effect Relationships	84
Figure 8-9.	A Process Operating at Full Potential	85
Figure 8-10.	Multi-Vari Chart Showing Three Families of Variation: Machine, Cycle and Tool Cavity.....	85
Figure 8-11.	Main Effects Plots Showing the Effects of Temperature, Time and Pressure on the Response of Seal Strength (LBF/in)	86
Figure 8-12.	DOE Interaction Plot Showing the Effects of Pressure on the Response, Seal Strength, at Two Temperature Settings (220°F and 260°F)	87
Figure 8-13.	Stable Process—Not Capable and Capable	88
Figure 8-14.	I-MR Chart of Seal Strength by Stage.....	89
Figure 8-15.	Waterfall Model (Verification and Validation).....	90
Figure 8-16.	Traditional PQ Model	90
Figure 8-17.	MPQ Approach Model.....	91
Figure 10-1.	Examples of Typical Reusable Medical Devices	100
Figure 10-2.	Notebook Studies Can Provide Data to Build Appropriate Validation Activities.....	101
Figure 10-3.	Automated Cleaning Equipment Typically Should be Validated Prior to Use.....	104
Figure 12-1.	UDI Impact on Existing Regulations.....	133

Figure 12-2.	Organizational Involvement in UDI Implementation.....	134
Figure 12-3.	GHTF Process Validation Decision Tree.....	136
Figure 12-4.	62 Attributes for Each Device Identifier.....	137
Figure 13-1.	The Equipment Verification and Validation (V&V) Cycle, Simplified	146
Figure 13-2.	Application of Design Controls to Waterfall Design Process	147
Figure 13-3.	Suggested/Possible V&V Test Case/Script Format (increase the number of “Verification Elements” when an element has a higher increased end-user risk)	151
Figure 13-4.	Typical Product Development Milestones With V&V Tasks (Titles in Bold Tied to 21 CFR 820.30, Design Control Requirements).....	152
Figure 14-1.	Application of Design Controls to Waterfall Design Process (Adapted From Design Control Guidance for Medical Devices, 1997)	158
Figure 14-2.	Statistical Error	158
Figure 14-3.	CTQ Risk Levels	159
Figure 14-4.	Typical Operating Characteristic Curve (OC).....	160
Figure 14-5.	Equivalence	161
Figure 14-6.	K-Values From ISO-16269-6.....	163
Figure 14-7.	Noninferiority Sample Sizes.....	164
Figure 14-8.	Confidence and Reliability for C=0 Plans	165
Figure 15-1.	Example of a Discretized Solid Model.....	168
Figure 15-2.	Fatigue Test of Femoral Knee Condyle.....	169
Figure 15-3.	(a) Load (A) and Constraint (B) Applied to a Finite Element Model of a Femoral Knee and (b) Maximum Principal Stress in the Implant	170
Figure 15-4.	Contour Plot of von Mises Equivalent Stress Distribution in a Carotid Artery Wall After Stent Expansion.	171
Figure 15-5.	Credibility Factors for Modeling and Simulation	173
Figure 15-6.	Sample Credibility Assessment With Threshold Shown in Dark Gray and Achieved Scores in Light Gray ..	174
Figure 16-1.	Additive Manufacturing Process and Related Draft Guidance Sections	181
Figure 18-1.	Validation Elements.....	204
Figure 18-2.	Surgical Tool Assembly and Laser Seam Weld	205
Figure 18-3.	PQ Components	205
Figure 18-4.	Fixed Input Factors.....	206
Figure 18-5.	Variable Input Factor Range	206
Figure 18-6.	DoE ANOVA Results	206
Figure 18-7.	Marginal Means Graph for Burst Pressure.....	207
Figure 18-8.	Optimized Laser Welding Parameters	207
Figure 18-9.	PQ Challenge Laser Welding Parameters	208
Figure 18-10.	Weld Location Measurement.....	208
Figure 18-11.	Z-Test Results, PQ Challenge Test.....	209
Figure 19-1.	Disinfectant Application Technique.....	213
Figure 19-2.	Triple Cleaning Effectiveness Demonstrated by Viable Particulate Surface Sampling	213
Figure 19-3.	Cleaning Required for New Build Certification	214
Figure 19-4.	Example of pressure differentials through an aseptic facility	215

Tables

Table 5-1.	Required TMV Elements.....	33
Table 5-2.	Basis for 30% GRR Rule; Comparison of Observed to Actual Cp (AIAG Table B1).	39
Table 6-1.	Selection of Experimental Designs	45
Table 6-2.	Design Strategies by Nuisance Factors.....	46
Table 6-3.	Randomized Block Design.....	46
Table 6-4.	Latin Square Design	46
Table 6-5.	Graeco-Latin Square Design	46
Table 6-6.	Hyper Graeco-Latin Square Design	46
Table 6-7.	A Full Factorial Design	49

Table 6-8.	Temperature Change Effect	49
Table 6-9.	Expanded Design with Interaction Terms	50
Table 6-10.	Interaction Effects Calculation Example	50
Table 6-11.	Full Factorial Effects Summary	50
Table 6-12.	A Fractional Factorial Design.....	50
Table 7-1.	ISO Sterilization Standards/Guidance Documents.....	62
Table 7-2.	FDA Sterilization Grouping.....	63
Table 7-3.	Dry Heat IQ.....	64
Table 7-4.	Common OQ Activities	65
Table 7-5.	Methods to Establish Sterilization Dose.....	66
Table 7-6.	VDmax Methods.....	67
Table 7-7.	Known Defined BIs	68
Table 7-8.	Dose Audits.....	70
Table 8-1.	DMAIC Model	78
Table 8-2.	DMADV Model.....	79
Table 8-3.	SIPOC Map	80
Table 10-1.	TIR 30 Acceptance Criteria	103
Table 11-1.	Examples of Risk-Based Testing	116
Table 11-2.	Summary of the Definitions and Elements of ALCOA	122
Table 11-3.	ALCOA Plus Elements	123
Table 15-1.	NASA Modeling and Simulation Risk Matrix.....	172
Table 19-1.	Issues Leading to a Worst-Case Event	212